


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY

[Feedback](#)

"automotive
controller
Terms
used: Found
4 of
240,155

Sort
results
by

Display
results

[Save](#)
[results](#)
[to a](#)
[Binder](#)

☐ [Open](#)
[results](#)
[in a new](#)
[window](#)

[Refine](#)
[these](#)
[results](#)
[with](#)
[Advanced](#)
[Search](#)
[Try this](#)
[search](#)
[in The](#)
[ACM](#)
[Guide](#)

Results 1 - 4 of 4

1 [Translating discrete-time simulink to lustre](#)



Stavros Tripakis, Christos Sofronis, Paul Caspi, Adrian Curic
November 2005 ACM Transactions on Embedded Computing Systems (TECS),
Volume 4 Issue 4

Publisher: ACM

Full text available: [pdf\(827.48](#)
[KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#),
[index terms](#)

We present a method of translating discrete-time Simulink models to Lustre programs. Our method consists of three steps: type inference, clock inference, and hierarchical bottom-up translation. In the process, we explain and formalize the typing and ...

Keyw ords: Code generation, Lustre, Simulink, embedded software

2 Efficient power co-estimation techniques for system-on-chip design



Marcello Lajolo, Anand Raghunathan, Sujit Dey

January 2000 DATE '00: Proceedings of the conference on Design, automation and test in Europe

Publisher: ACM

Full text available: [pdf\(124.92 KB\)](#) [Publisher Site](#)

Additional Information: [full citation](#), [references](#), [cited by](#), [index terms](#)

3 A 90nm low-power FPGA for battery-powered applications



Tim Tuan, Sean Kao, Arif Rahman, Satyaki Das, Steve Trimberger

February 2006 FPGA '06: Proceedings of the 2006 ACM/SIGDA 14th international symposium on Field programmable gate arrays

Publisher: ACM

Full text available: [pdf\(233.96 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Programmable logic devices such as FPGAs are useful for a wide range of applications. However, FPGAs are not commonly used in battery-powered applications because they consume more power than ASICs and lack power management features. In this paper, we ...

Keyw ords: FPGAs, field-programmable gate arrays, low-power design, programmable logic

4 Functional verification of task partitioning for multiprocessor embedded systems



Dipankar Das, P. P. Chakrabarti, Rajeev Kumar

September 2007 ACM Transactions on Design Automation of Electronic Systems (TODAES), Volume 12 Issue 4

Publisher: ACM

Full text available: [pdf\(533.81 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

With the advent of multiprocessor embedded platforms, application partitioning and mapping have gained primacy as a design step. The output of this design step is a multithreaded partitioned application where each thread is mapped to a processing element ...

Keyw ords: Containment checking, UML activity diagrams, multiprocessor embedded systems, state space reduction

Results 1 - 4 of 4

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)